

Company name Address

Phone number VAT number IBAN-code: Email address: Website: Vanclaes B.V. Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands. +31 (0)172-200 100

NL.825512761.B01 NL16 INGB 0006 0240 14 info@vanclaes.com https://vanclaes.com

## SKI Power 1800 -14"- 600 braked 1 axle

- Boat Type: Waterski/Wakeboard boat
- Unique GYRO Roller System: Yes
- Gross Weight: 1800 kg
- GYRO roller system: 2x2
- Payload: 1450 kg
- Tire size: 14 inch
- Trailer length: 600 cm
- Axles: 1 Axle
- Trailer width: 210 cm
- Tiltable: no
- Braked: Yes

KvK: 280 400 37 BTW: NL.825512761.B01

BIC: INGBNL2A

Bank ING: NL16INGB0006024014

Trailer weight: 350 kg

## **€8.662,52** €7.159,11 excl. VAT

## Vanclaes Ski Power braked boat trailer

The Vanclaes Ski Power braked boat trailer is suitable for Water ski- en Wakeboard boats with a fixed propeller shaft and possibly with extra fins.

The wiring is neatly concealed in the base frame and is connected to the socket of your car by a 13-pin (Jaeger type) plug. The entire basic frame of this boat trailer as well as the steel parts of the loading system and the winch post are made entirely of stainless steel.

VANCLAES Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

+31 (0)172-200 100 info@vanclaes.com https://vanclaes.com By using stainless steel instead of the standard hot-dip galvanized steel in the market, the Vanclaes trailers have the advantage that they are much lighter with an often even stronger and more robust chassis. So in addition to the enormous qualitative and aesthetic advantages of this much more luxurious and beautiful material, a weight saving of +/-25% is also a fact, which results in a higher load capacity and more possibilities for applying fine and practical options that you can help during driving as well as on the trailer ramp.

This boat trailer has two light bars that can be extended over a length of one meter and are equipped with 100% waterproof LED lighting. So you do not have to remove first the lighting from the boat trailer before launching the boat.

All fasteners the GYRO-Rollersystem can be adjusted in height and width are also made of stainless steel, which means that without great weight gain, many extra conveniences are offered when leaving the boat in and out of the water.

Especially for the water ski boat, this trailer is equipped with a deep V-frame whereby the boat receives optimum support at the rear, but there is also sufficient space for the propeller shaft.

The hot-dip galvanized and then anthracite powder-coated braked axle line is from the German top brand WAP and is equipped with stainless steel water-resistant compact bearings. If you choose the disc brakes option, 100% waterproof oil bearings are supplied as standard. In addition, every braked trailer comes standard with shock absorbers on each axle line. The overrun brake is also standard, after the hot-dip galvanizing, anthracite powder coated.

The Vanclaes GYRO rollers are made of Polyurethane foam and from the 2750 kg trailer of, the trailer is equipped with pneumatic tires made of Nylon as standard. All GYRO rollers are 100% scratch and scuff-free.

The winch post and the bow support can easily be adjusted in length and height.

The automatically braked luxury safety hand winch comes standard with a solid winch belt.

## The prices of all Vanclaes braked road trailers are included costs of the mandatory C.O.C. document and removal fee for the tires. So complete and no surprises afterwards.

	Art. #	Description	Incl. VAT	Excl. VAT	
>	401537	Side step with anti slip above the mudguard	€185,05	€152,93	
>	406041	3 year extended warranty 1 axle braked	€129,00	€106,61	
>	401605	Vanclaes Ratchet straps 50mm with hook	€57,44	€47,47	
>	401516	Side step with anti slip	€127,61	€105,46	
>	401591	Tempo 100 admission (DU)	€54,43	€44,98	
>	401608	Boat Buckles Stainless Steel per unit	€127,28	€105,19	
>	401580	Sparewheel bracket standard 1800 - 3500	€76,58	€63,29	

VANCLAES Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

 2:100 400 50
 +31 (0)172-200 100

 5512761.B01
 +31 (0)172-200 100

 50006024014
 info@vanclaes.com

 c: INGBNL2A
 https://vanclaes.com

KvK: 280 400 37 BTW: NL.825512761.B01 Bank ING: NL16INGB0006024014 BIC: INGBNL2A

	Art. #	Description	Incl. VAT	Excl. VAT	
>	401604	Plastic storage box with bracket	€190,14	€157,14	
>	401577	Sparewheel 14" 5 bolts	€228,42	€188,78	
>	401663	Black instead of orange mudguards 1 axle 14"	€0,00	€0,00	
>	401531	Nano coating 1 axle	€350,92	€290,02	
>	401606	AL-KO coupling with stabiliser (0-3000 Kg)	€721,01	€595,88	
>	401522	Marine flushing kit 1 axle drum brakes	€223,32	€184,56	
>	401675	Upgrade Moveable lighting bars	€312,65	€258,39	
>	401570	Tempo 100 admission (NL)	€248,84	€205,65	
>	401513	Electric winch incl. charger, battery and battery box, max pull 2000kg	€1.606,65	€1.327,81	
>	401615	Intake- and adjustment package 1 axle (additional required parts not included)	€669,96	€553,69	
>	401634	Walkramp 600 trailer wide version	€708,26	€585,34	
>	401667	Set of protective covers tail lights rectangular	€159,53	€131,84	
>	401508	LED Light Processor Plug & Play	€202,90	€167,69	
>	401621	Powder coating trailer till 1800 kg	€2.137,50	€1.766,53	
>	401546	Fixed Lock Type C < 3000kg braked SCM approved	€312,65	€258,39	
>	401653	Alloy wheel upgrade 1 axle 14" 5 bolts	€344,55	€284,75	
>	401669	Set of stamps 3500 and 2500 frame	€421,12	€348,03	
>	509000075	Floating Poles	€414,75	€342,77	
>	401578	Sparewheel 14" 5 bolts alloy	€400,69	€331,15	
>	401601	Double Lock chain lock 200 (SCM approved)	€272,25	€225,00	
>	401583	Upgrade Disc brakes 1 axle 1800	€1.818,48	€€1.502,88	
>	5000001	Upgrade 1-axle to coil spring system	€250,00	€206,61	
>	401556	Alloy wheel upgrade 1 axle 15" 5 bolts Black	€344,55	€284,75	
>	401770	Set of stamps adjustable with pin 80/120/150 frame	€603,06	€498,40	

VANCLAES Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

+31 (0)172-200 100 info@vanclaes.com https://vanclaes.com

KvK: 280 400 37 BTW: NL.825512761.B01 Bank ING: NL16INGB0006024014 BIC: INGBNL2A