

Company name Address Vanclaes B.V. Gnephoek 18

2401 LP Alphen aan den Rijn

The Netherlands.

Phone number VAT number IBAN-code: Email address: Website: +31 (0)172-200 100 NL.825512761.B01 NL16 INGB 0006 0240 14 info@vanclaes.com https://vanclaes.com



## Gladius 3000 -14" - 950 braked 2 axle

Boat Type: Sailboat with lifting keel

• Adjustable Stamps: 2

• Unique GYRO Roller System: Yes

Gross Weight: 3000 kg GYRO roller system: 4x2x2

Payload: 2290 kgV Entry System: YesKeel Support: OptionalTire size: 14 inch

• Trailer length: 950 cm

• Axles: 2 Axles

• Trailer width: 230 cm

Tiltable: noBraked: Yes

• Trailer weight: 710 kg



## Vanclaes Gladius braked boat trailer

The Vanclaes Gladius braked boat trailer is suitable for Sailing boats with retractable keel or sword.

The wiring is neatly concealed in the base frame and is connected to the socket of your car by a 13-pin (Jaeger type) plug. The entire basic frame of this boat trailer as well as the steel parts of the loading system and the winch post are made entirely of stainless steel.

By using stainless steel instead of the standard hot-dip galvanized steel in the market, the Vanclaes trailers have the advantage that they are much lighter with an often even stronger and more robust chassis. So in addition to the enormous qualitative and aesthetic advantages of this much more luxurious and beautiful material, a weight

## VANCLAES

Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

+31 (0)172-200 100 info@vanclaes.com https://vanclaes.com

KvK: 280 400 37 BTW: NL.825512761.B01 Bank ING: NL16INGB0006024014 BIC: INGBNL2A saving of +/- 25% is also a fact, which results in a higher load capacity and more possibilities for applying fine and practical options that you can help during driving as well as on the trailer ramp.

This boat trailer has two light bars that can be extended over a length of one meter and are equipped with 100% waterproof LED lighting. So you do not have to remove first the lighting from the boat trailer before launching the boat.

All fasteners the GYRO-Rollersystem can be adjusted in height and width are also made of stainless steel, which means that without great weight gain, many extra conveniences are offered when leaving the boat in and out of the water.

Especially for the sailing boats with retractable keel or sword, this trailer is equipped with a deep V-frame whereby the boat receives optimum support at the rear, but there is also sufficient space for the rudder blade. Two adjustable stamps are attached to the rear of the trailer for safe transport of the sailboat.

The hot-dip galvanized and then anthracite powder-coated braked axle line is from the German top brand WAP and is equipped with stainless steel water-resistant compact bearings. If you choose the disc brakes option, 100% waterproof oil bearings are supplied as standard. In addition, every braked trailer comes standard with shock absorbers on each axle line. The overrun brake is also standard, after the hot-dip galvanizing, anthracite powder coated.

The Vanclaes GYRO rollers are made of Polyurethane foam and from the 2750 kg trailer of, the trailer is equipped with pneumatic tires made of Nylon as standard. All GYRO rollers are 100% scratch and scuff-free.

The winch post and the bow support can easily be adjusted in length and height.

The automatically braked luxury safety hand winch comes standard with a solid winch belt. For safe transport, two adjustable stamps are mounted on the rear of the trailer.

The prices of all Vanclaes braked road trailers are included costs of the mandatory C.O.C. document and removal fee for the tires. So complete and no surprises afterwards.

	Art. #	Description	Incl. VAT	Excl. VAT	
>	401537	Side step with anti slip above the mudguard	€185,05	€152,93	
>	406042	3 year extended warranty 2 axle braked	€229,00	€189,26	
>	401605	Vanclaes Ratchet straps 50mm with hook	€57,44	€47,47	
>	401516	Side step with anti slip	€127,61	€105,46	
>	401591	Tempo 100 admission (DU)	€54,43	€44,98	
>	401580	Sparewheel bracket standard 1800 - 3500	€76,58	€63,29	
>	401604	Plastic storage box with bracket	€190,14	€157,14	
>	401577	Sparewheel 14" 5 bolts	€228,42	€188,78	

Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

KvK: 280 400 37 BTW: NL.825512761.B01 Bank ING: NL16INGB0006024014 BIC: INGBNI.2A

+31 (0)172-200 100 info@vanclaes.com https://vanclaes.com

VANCLAES

	Art.#	Description	Incl. VAT	Excl. VAT	
>	401532	Nano coating 2 axle	€478,56	€395,50	
>	401520	Electric winch incl. charger, battery and battery box, max pull 3500kg	€2.354,45	€1.945,83	
>	401606	AL-KO coupling with stabiliser (0-3000 Kg)	€721,01	€595,88	
>	401675	Upgrade Moveable lighting bars	€312,65	€258,39	
>	401570	Tempo 100 admission (NL)	€248,84	€205,65	
>	401664	Black instead of orange mudguards 2 axle 14"	€0,00	€0,00	
>	401523	Marine flushing kit 2 axle drum brakes	€382,84	€316,40	
>	401667	Set of protective covers tail lights rectangular	€159,53	€131,84	
>	401508	LED Light Processor Plug & Play	€202,90	€167,69	
>	401616	Intake- and adjustment package 2 and 3 axle (additional required parts not included)	€955,82	€789,93	
>	401546	Fixed Lock Type $C < 3000$ kg braked SCM approved	€312,65	€258,39	
>	401638	Walkramp 950 trailer wide version	€1.186,79	€980,82	
>	401654	Alloy wheel upgrade 2 axle 14" 5 bolts	€689,12	€569,52	
>	5090000075	Floating Poles	€414,75	€342,77	
>	401623	Powder coating trailer till 3500 kg	€3.094,61	€2.557,53	
>	401601	Double Lock chain lock 200 (SCM approved)	€272,25	€225,00	
>	401578	Sparewheel 14" 5 bolts alloy	€400,69	€331,15	
>	401584	Upgrade Disc brakes 2 axle 1500	€3.636,97	€3.005,76	
>	5000002	Upgrade 2-axle to coil spring system	€500,00	€413,22	
>	401770	Set of stamps adjustable with pin 80/120/150 frame	€603,06	€498,40	
>	401557	Alloy wheel upgrade 2 axle 15" 5 bolts Black	€689,12	€569,52	

**VANCLAES**Experience Center

Gnephoek 18 2401 LP Alphen aan den Rijn The Netherlands.

KvK: 280 400 37 BTW: NL.825512761.B01 Bank ING: NL16INGB0006024014 BIC: INGBNL2A

+31 (0)172-200 100 info@vanclaes.com https://vanclaes.com